



•



# Zoe Vision



### **Characteristics**



#### **ELECTRONIC AUTO-LEVEL**

Through an electronic level probe the boiler is automatically filled and maintained to the right filling level.



# ACTIVATED ELECTRONIC PRE-INFUSION

Management of the delayed activation of water solenoid in the first phase of brewing.



#### **DOUBLE READING GAUGE**

Allows to control at the same time the boiler pressure and the distribution pressure.



#### **EASY SERVICE**

Fast access to the internal parts for quick and easy technical service.



# AUTOMATIC CLEANING CYCLE Process for coffee

groups cleaning.



# LED LIGHTING OF THE WORK AREA\*

Allows efficient working in any condition of environmental lighting. (only COMPETITION)



#### SHOT TIMER\*

To accurately and reliably time coffee extraction. (only COMPETITION)

#### Optional



### AUTOSTEAM

Steam wand characterized by an electronic system that allows to mount and/or heat milk at the set temperature.



#### **CUP WARMER**

Dedicated resistor to keep all the cups at the optimal temperature.







EXTERNAL BLUETOOTH NAKED VOLUMETRIC COMMUNICATION PORTAFILTERS







# **COMPLETE RANGE**

Available versions: , 2group



Version with shot timer and barista lights




Guarantees an electronic dosing system through the button panel



Allows the semi-automatic programming of doses



## Versions



28.35 inches / 720 mm

#### 2 group

VISION 2 steam taps

1 water tap

1 one-cup portafilters 2 two-cup portafilters



_Technical data		2 group	
voltage	V	240V	
power imput	kW	3.3	
steam boiler capacity	US gal / It	2.64 / 10	
steam boiler power	kW	2.95	
pump power	kW	0.13	
net weight	lb / kg	121 / 55	

## Colors

Black	RAL 9005
White Black	RAL 9003 9005
White Matte black	RAL 9003 9005
White Red	RAL 9003 3002

#### PERSONALISED GRAPHICS



Customization of internal panels with graphics and colors (on request).



















SANREMO UK LTD

Unit 5 Mardle Business Park Mardle Way, Buckfastleigh Devon, TQ11 0JL T: +44 (0)1364 64 445

W: www.sanremouk.com

2 groups
2 steam taps
1 water tap
1 one-cup portafilters

2 two cup portafilters

Volts 240V Power Input 3.3kW Steam Boiler Capacity 10 Litres Net Weight 55Kg Height 537mm Width 720mm Depth 528mm

#### Colours

**(** 

Black	RAL 9005
WhitelBlack	RAL 9003 9005
White Matte black	RAL 9003 9005
White Red	RAL 9003 3002

**(**